

文献情報のエクスポート <RIS形式>

現行のRefWorksで管理していたレコードをファイルに出力する方法です。

※レコードのみエクスポート可能です。添付ファイルはローカルにダウンロードのうえ、新RefWorksに取り込んでください。

1 移行するレコードを選択し、メニューバーのレコードから エクスポートを選択

- 2 [Select an Export Format]のプルダウンメニューから Bibliographic Software (Endnote, Reference Manager, ProCite)を選択
- 3 レコードをエクスポートをクリック ※レコードがRIS形式で生成されます。 「メモ帳」などのテキストエディタにコピー&ペーストし RISファイル (.ris) として保存します。
- 4 各文献管理ツールにインポート



Disput/www.efentioning/else.								
$\cdot \ \Rightarrow \ C \ \ \alpha$. If reference of the second sec	Ŷ	9	9	¥	۲	0	*	0
- :01								
Factors J. S. - Mars, L. H. - Marsh, T. G. - Stand, J. F.								
 Garris, N. 1. Others, M. 5. Others, M. 5. Others, J. 6. Surface and States and the factors are allered with search a new constation participation and states and state	l ne	0.520	rier	ir w	ы. •	inch.	45511	
(1), 323 323 - 1923 - 1923								
 iii «LANDES - DEGALOND: Pecars by in a physic spire, ability is have shi from. The lability is not the desired a 		et ep		arn	ole :		d by	
chological, see al. and conventioned and an and estable 2 bits because a information of fact the place is no one of a version and to wanter the moves the of such factors for advance back water and the such as the effective set formal states are conducted in which there in the the factor with the such 2 bits with 25, 332.5	L.	0.1	EL ULS SPEL	92	CCI VIL1	ieit. Inst Iel Ie	itu.	11 12d.
increase one entered for the study. Continues must locate a use and for data call so for J phases to stiff factors associated a first scaledownelling. We palse with every $M < 10$ mass 2.55 , 3000 m 1.55 M = M = 0.50, so have must are also 2.5 denoted with $M = 2.45$, 0000 1.145 , 200		FIC	2	1		15 10	ind f R : N :	lα.

